


# Evaluation of kinetic data with ExpoFit V 1.3

Graph



|   |  |   |  |
|---|--|---|--|
| Function: $y = A \exp ( -kx ) + C$ (Exponential decrease)   |  | Reference point: 0 (Zero)   |  |
| Amp A = 0.282114901090917 $\hat{A} \pm 0.000841666727135$<br>Rate k = 0.000910113966107 $\hat{A} \pm 0.000006075047923$<br>Final C = 0.111037923176298 $\hat{A} \pm 0.001002462344050$  |  | Quality $r^2 = 0.9996269124301$<br>Data points = 345 of 1587<br>Conversion = 44.4 % |  |
| Start at position: 64 / 0.38157 (13.7 %)  |  | End at position: 1440 / 0.18527 (58.1 %)  |  |
| ExpoFit file: Vinyl azide_20 equiv_dpa+Nu_c01_000 (Data-ExtraDate of file: ).ex25/11/2025 19:15:52<br>Source file: Vinyl azide_20 equiv_dpa+Nu_c01_000 (Data-ExtraDate of file: ).tx25/11/2025 18:52:36<br>Type of source file: Universal ASCII - file data |  |   |  |
| 2007 by Dr. Kempf   |  | Date of print: 07/12/2025 17:08:06  |  |